

Manual Title	Chapter	Page
Vision Manual	App. B	
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

APPENDIX B

HCPCS VISION SERVICES CODES

Manual Title	Chapter	Page
Vision Manual	App. B	1
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

APPENDIX B

CMS ASSIGNMENT OF VISION SERVICES CODES

Obsolete Vision Local Procedure Codes: Due to Health Insurance Portability and Accountability Act (HIPAA) requirements for standardized billing codes these local procedure codes will no longer be in use with dates of service on or after January 1, 2004:

Z9501 Routine Comprehensive Eye Exam
Z9510 Frames Purchase
Z9512 Frames, Repair and Parts Replacement
Z9519 Frames Dispensing Fee

Please see listing below for the appropriate vision service code:

GENERAL OPHTHALMOLOGICAL SERVICES

New Patient

92002 Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient

92004 Comprehensive, new patient, one or more visits

Established Patient

92012 Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, established patient

92014 Comprehensive, established patient, one or more visits

FRAMES

Initial Issue and Dispensing

V2020 FRAMES, purchases (once every 24 months)

Replacement Due to Un-repairable Damage

V2020 FRAMES, replacement due to unrepairable damage is treated the same as a new issue frame (V2020). The repair of frames and lenses is normally limited to once every 24 months. To accommodate for service limits if a repair is made in less than 24 months, place "22" modifier in Locator 24D of the CMS-1500 form and explain the medical justification on an attachment. Attach a medical justification statement and a detailed repair

Manual Title	Chapter	Page
Vision Manual	App. B	2
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

statement including the costs.

Frames Repair and
Parts Replacement

V2020 FRAMES, repair and parts replacement is billed using HCPCS code V2020 and **Modifier RP**. "Replacement and repair modifier (RP) may be used to indicate replacement. The combination of V2020 and Modifier RP shall pay the maximum allowable for repair and parts replacement.

Frames Dispensing
Fee Effective June 20, 2003, the Frames dispensing fee was combined with frames purchase HCPCS code V2020.

LENS SINGLE VISION, glass or plastic, with scratch resistant coating (per lens)

Effective June 20, 2003, the Lens Dispensing Fee was added to the maximum allowable fee for the Lens. Affected Lens HCPCS codes include: V2100 to V2118, V2200 to V2220, V2300 to V2309, V2317, V2319, V2320, V2430, V2630, V2632, V2500, V2510, V2512, V2513, V2522, V2523.

V2100 SPHERE, single vision, plano to plus or minus 4.00D, per lens

V2101 SPHERE, single vision, plus or minus 4.12 to plus or minus 7.00D, per lens

V2102 SPHERE, single vision, plus or minus 7.12 to plus or minus 20.00D, per lens

V2103 SPHEROCYLINDER, single vision, plano to plus or minus 4.00D sphere, .12 to 2.00D cylinder, per lens

V2104 SPHEROCYLINDER, single vision, plano to plus or minus 4.00D sphere, 2.12 to 4.00D cylinder, per lens

V2105 SPHEROCYLINDER, single vision, plano to plus or minus 4.00D sphere, 4.25 to 6.00D cylinder, per lens

Manual Title	Chapter	Page
Vision Manual	App. B	3
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

V2106	SPHEROCYLINDER, single vision, plano to plus or minus 4.00D sphere, over 6.00D cylinder, per lens
V2107	SPHEROCYLINDER, single vision, plus or minus 4.25 to plus or minus 7.00D sphere, .12 to 2.00D cylinder, per lens
V2108	SPHEROCYLINDER, single vision, plus or minus 4.25 to plus or minus 7.00D sphere, 2.12 to 4.00D cylinder, per lens
V2109	SPHEROCYLINDER, single vision, plus or minus 4.25 to plus or minus 7.00D sphere, 4.25 to 6.00D cylinder, per lens
V2110	SPHEROCYLINDER, single vision, plus or minus 4.25 to plus or minus 7.00D sphere, over 6.00D cylinder, per lens
V2111	SPHEROCYLINDER, single vision, plus or minus 7.25 to plus or minus 12.00D sphere, .25 to 2.25D cylinder, per lens
V2112	SPHEROCYLINDER, single vision, plus or minus 7.25 to plus or minus 12.00D sphere, 2.25D to 4.00D cylinder, per lens
V2113	SPHEROCYLINDER, single vision, plus or minus 7.25 to plus or minus 12.00D sphere, 4.25 to 6.00D cylinder, per lens
V2114	SPHEROCYLINDER, single vision, sphere over plus or minus 12.00D per lens
V2115	LENTICULAR, (myodisc), per lens, single vision
V2116	LENTICULAR LENS, nonaspheric, per lens, single vision
V2117	LENTICULAR, aspheric, per lens, single vision
V2118	ANISEIKONIC LENS, single vision
V2199	NOT OTHERWISE CLASSIFIED, single vision lens
<u>LENS</u> -	<u>BIFOCAL</u> , glass or plastic, with scratch resistant coating, per lens (up to and including 28mm seg width, add power up to and including 3.25D)
V2200	SPHERE, bifocal, plano to plus or minus 4.00D, per lens
V2201	SPHERE, bifocal, plus or minus 4.12 to plus or minus 7.00D, per lens

Manual Title	Chapter	Page
Vision Manual	App. B	4
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

V2202	SPHERE, bifocal, plus or minus 7.12 to plus or minus 20.00D, per lens
V2203	SPHEROCYLINDER, bifocal, plano to plus or minus 4.00D sphere, .12 to 2.00D cylinder, per lens
V2204	SPHEROCYLINDER, bifocal, plano to plus or minus 4.00D sphere, 2.12 to 4.00D cylinder, per lens
V2205	SPHEROCYLINDER, bifocal, plano to plus or minus 4.00D sphere, 4.25 to 6.00D cylinder, per lens
V2206	SPHEROCYLINDER, bifocal, plano to plus or minus 4.00D sphere, over 6.00D cylinder, per lens
V2207	SPHEROCYLINDER, bifocal, plus or minus 4.25 to plus or minus 7.00D sphere, .12 to 2.00D cylinder, per lens
V2208	SPHEROCYLINDER, bifocal, plus or minus 4.25 to plus or minus 7.00D sphere, 2.12 to 4.00D cylinder, per lens
V2209	SPHEROCYLINDER, bifocal, plus or minus 4.25 to plus or minus 7.00D sphere, 4.25 to 6.00D cylinder, per lens
V2210	SPHEROCYLINDER, bifocal, plus or minus 4.25 to plus or minus 7.00D sphere, over 6.00D cylinder, per lens
V2211	SPHEROCYLINDER, bifocal, plus or minus 7.25 to plus or minus 12.00D sphere, .25 to 2.25D cylinder, per lens
V2212	SPHEROCYLINDER, bifocal, plus or minus 7.25 to plus or minus 12.00D sphere, 2.25 to 4.00D cylinder, per lens
V2213	SPHEROCYLINDER, bifocal, plus or minus 7.25 to plus or minus 12.00D sphere, 4.25 to 6.00D cylinder, per lens
V2214	SPHEROCYLINDER, bifocal, sphere over plus or minus 12.00D, per lens
V2215	LENTICULAR (myodisc), per lens, bifocal
V2216	LENTICULAR, nonaspheric, per lens, bifocal
V2217	LENTICULAR, aspheric, per lens, bifocal
V2218	ANISEIKONIC, per lens, bifocal

Manual Title	Chapter	Page
Vision Manual	App. B	5
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

V2219	BIFOCAL seg width over 28mm
V2220	BIFOCAL add over 3.25D
V2299	SPECIALTY BIFOCAL (by report)
<u>LENS</u> -	<u>TRIFOCAL</u> , glass or plastic, with scratch resistant coating, per lens (up to and including 28mm seg width, add power up to and including 3.25D)
V2300	SPHERE, trifocal, plano to plus or minus 4.00D, per lens
V2301	SPHERE, trifocal, plus or minus 4.12 to plus or minus 7.00D per lens
V2302	SPHERE, trifocal, plus or minus 7.12 to plus or minus 20.00D, per lens
V2303	SPHEROCYLINDER, trifocal, plano to plus or minus 4.00D sphere, .12 to 2.00D cylinder, per lens
V2304	SPHEROCYLINDER, trifocal, plano to plus or minus 4.00D sphere, 2.25 to 4.00D cylinder, per lens
V2305	SPHEROCYLINDER, trifocal, plano to plus or minus 4.00D sphere, 4.25 to 6.00 cylinder, per lens
V2306	SPHEROCYLINDER, trifocal, plano to plus or minus 4.00D sphere, over 6.00D cylinder, per lens
V2307	SPHEROCYLINDER, trifocal, plus or minus 4.25 to plus or minus 7.00D sphere, .12 to 2.00D cylinder, per lens
V2308	SPHEROCYLINDER, trifocal, plus or minus 4.25 to plus or minus 7.00D sphere, 2.12 to 4.00D cylinder, per lens
V2309	SPHEROCYLINDER, trifocal, plus or minus 4.25 to plus or minus 7.00D sphere, 4.26 to 6.00D cylinder, per lens
V2310	SPHEROCYLINDER, trifocal, plus or minus 4.25 to plus or minus 7.00D sphere, over 6.00D cylinder, per lens
V2311	SPHEROCYLINDER, trifocal, plus or minus 7.25 to plus or minus 12.00D sphere, .25 to 2.25D cylinder, per lens

Manual Title	Chapter	Page
Vision Manual	App. B	6
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

- V2312 SPHEROCYLINDER, trifocal, plus or minus 7.25 to plus or minus 12.00D sphere, 2.25 to 4.00D cylinder, per lens
- V2313 SPHEROCYLINDER, trifocal, plus or minus 7.25 to plus or minus 12.00D sphere, 4.25 to 6.00D cylinder, per lens
- V2314 SPHEROCYLINDER, trifocal, sphere over plus or minus 12.00D, per lens
- V2315 LENTICULAR, (myodisc), per lens, trifocal
- V2316 LENTICULAR nonaspheric, per lens, trifocal
- V2317 LENTICULAR, aspheric, per lens, trifocal
- V2318 ANISEIKONIC LENS, trifocal
- V2319 TRIFOCAL seg width over 28mm
- V2320 TRIFOCAL add over 3.25D
- V2399 SPECIALTY TRIFOCAL (by report)
- LENS - VARIABLE SPHERICITY, Welsh 4-drop, hyphaspheric, double drop, etc.
- V2410 VARIABLE SPHERICITY LENS, single vision, full field, glass or plastic, per lens
- V2430 VARIABLE SPHERICITY LENS, bifocal, full field, glass or plastic, per lens

INTRAOCULAR LENS

- V2630 ANTERIOR chamber intraocular lens
- V2631 IRIS supported intraocular lens
- V2632 POSTERIOR chamber intraocular lens

Manual Title	Chapter	Page
Vision Manual	App. B	7
Chapter Subject	Page Revision Date	
HCPCS Vision Services Codes	1-15-04	

CONTACT LENSES

If procedure code 92391 or 92396 is reported, recode with specific lens type listed below (per lens).

V2500	CONTACT LENS, PMMA, spherical, per lens
V2501	CONTACT LENS, PMMA, toric or prism ballast, per lens
V2502	CONTACT LENS, PMMA, bifocal, per lens
V2503	CONTACT LENS, PMMA, color vision deficiency, per lens
V2510	CONTACT LENS, gas permeable, spherical, per lens
V2511	CONTACT LENS, gas permeable, toric, prism ballast, per lens
V2512	CONTACT LENS, gas permeable, bifocal, per lens
V2513	CONTACT LENS, gas permeable, extended wear, per lens
V2520	CONTACT LENS, hydrophilic, spherical, per lens
V2521	CONTACT LENS, hydrophilic, toric, or prism ballast, per lens
V2522	CONTACT LENS, hydrophilic, bifocal, per lens
V2523	CONTACT LENS, hydrophilic, extended wear, per lens
V2530	CONTACT LENS, scleral, per lens (for contact lens modification, see 92325)

V2599 NOT OTHERWISE CLASSIFIED, CONTACT LENS

LENS - TINT

V2740	Tint, plastic, rose 1 or 2 (per lens)
V2741	Tint, plastic, other than rose 1 or 2 (per lens)
V2742	Tint, glass, rose 1 or 2 (per lens)
V2743	Tint, glass, other than rose 1 or 2 (per lens)